





HIGH PERFORMANCE DISPLAY SYSTEMS

Collection

This is Expolinc



We are the hardware people!

We do not print. Therefore, we do not sell directly to end-users. We are happy to direct end-users to our many professional dealers worldwide!

Everything that we offer is developed by us!

That is a security for any user, we are in full control. We don't source any products from third party suppliers.

It is important that it looks nice!

We strongly believe that its so important for the end result that the products are neutral and that the graphic hangs perfect. That's the whole purpose - putting the user in the best of lights!

User-friendliness is key!

If you are struggling with set-up, the end result is at risk! We make sure our products are intuitive and user-friendly. It should be fun to set-up our products, for everyone... and of course with a perfect result!

Lifetime is economy and sustainability!

The best materials and designs enables you to reuse our products for a long, long time! We put attention to every detail, both in design and production.

It's all heart!

All of us at Expolinc are passionate about our business and we are so proud that many of the world-wide brands are users of our products. For more than 35 years!





LIGHT FRAME 4 - 9



LIGHT FRAME MINI 10 - 11



LIGHT FRAME COUNTER 12



CLASSIC FRAME 13 - 18



FABRIC SYSTEM 19 - 22



POP UP MAGNETIC 23 - 27



SOFT IMAGE 28



PANEL BASE 29



MAGNET FRAME 30



FABRIC STAND 31



ROLL UP CLASSIC 32 - 33



ROLL UP COMPACT 34 - 35



4 SCREEN CLASSIC 36 - 37



INFO COUNTER 38



STANDARD CASE 39



FOLD OUT COUNTER 40



SOFT IMAGE COUNTER 41



CASE & COUNTER 42 - 43



MONITOR STAND 44



ACCESSORIES 45-47

Light Frame Build with lights. Safety tested and approved by Intertek according to: European Union Standards (CE): IEC 60598·2-1:1979+A1, EN 60598·1:2015+A1, EN 60598-2-1:1989, IEC 60598·1:2014/AMD1:2017, IEC 62031 **Shine your brand.** Light Frame is a portable LED light box designed for trade shows. CSA C22.2#250.0:2018 Ed.4, UL 153:2014 Ed.13+R:27Jul2018 This backlit aluminum frame for SEG fabric prints offers tool-free set up and exceptional brilliance. Its modular design integrates with Classic Frame, providing versatile and high-quality display solutions for any event. LIGHT FRAME | EXPOLINC.COM

Light Frame

Build up to 22 different sizes - tailor your display to perfection!

- WORLD CLASS LIGHT QUALITY
- CERTIFIED ACCORDING TO CE AND ETL
- INTEGRATES WITH CLASSIC FRAME
- MODULAR AND STABLE
- DOUBLE-SIDED



Click here to watch Light Frame video.







962 X 2 500 mm	.28.5	kg
1 962 X 2 500 mm	.36.0	kg*
2 962 X 2 500 mm	.43.5	kg*
3 062Y 2 500 mm	E1 E	ka **

The packages includes a complete light frame incl double sided supporting feet, delivered in boxes. *Incl. 1 supporting rod. **Incl. 2 supporting rods.



TRAVEL PACKAGES

962 X 2 500 mm	28.5 kg
1 962 X 2 500 mm	36.0 kg*
2 962 X 2 500 mm	43.0 kg*
3 962 X 2 500 mm	50.7 kg**

The packages includes a complete light frame incl double sided supporting feet, delivered in a soft bag with wheels, accessory bag and profiles in inner bags. *Incl. 1 supporting rod. **Incl. 2 supporting rods.





STANDARD CASE XL PACKAGES

1 962 X 2 500 mm	.44.5	kg∗
2 962 X 2 500 mm	51.1	kg*
3 962 X 2 500 mm	.59.2	ka **

The packages includes a complete light frame incl double sided supporting feet, delivered in Standard Case XL, accessory bag and profiles in inner bags. *Incl. 1 supporting rod. **Incl. 2 supporting rods.

Light Frame Powerful LED lights embedded LED lights are protected in the light profile. Available in 500, 875 and 1000mm widths. Robust and easy-to-use connectors give excellent stability.

Build flexible and impressive environments.

Combine Light Frame and Classic Frame to create amazing environments. Build various heights and widths in different combinations in only a few steps. Reuse and resize for your next event, the only thing you might need to replace is the graphic. This is what we call sustainable and flexible!



CONNECTORS

Connect frames, with or without lights, straight or in angle.







SUPPORTING FEET







Light Frame Mini

Probably the most elegant light frame on the market

A portable, freestanding light box for fabric prints (SEG). Featuring world-class LED lighting, this compact display makes your brand stand out at trade shows, exhibitions, and event. Easy to set up without any tools, it can be used as either a single-sided or double-sided, and is also ideal for use in retail stores.



European Union Standards (CE): IEC 60598-2-1:1979+AI, EN 60598-1:2014/AMD1:2017, IEC 62031 IEC 62471:2006




North American Standards (ETL): CSA C22.2#250.0:2018 Ed.4. UL 153:2014 Ed.13+R:27Jul2018

Light Frame Mini

- INTEGRATED WORLD CLASS LED LIGHTS
- PLUG AND PLAY TECHNOLOGY
- PORTABLE AND TOOL-LESS
- STYLISH DESIGN WITH QUALITY FINISH
- CERTIFIED ACCORDING TO CE AND ETL



Click here to watch Light Frame Mini video.



FACTS LIGHT FRAME MINI

Vorcion	1000x2000	1000×2340
VCI SIUII	1000x2000	
Total width (mm)	1000	1000
Total height (mm)	2000	2340
iotai neight (iiiii)	2000	2370
Woight (kg)	11	12



angle or straight connection.

Light Frame Counter Light Up Your Brand's Brilliance!

Elevate your meeting space with the stunning Light Frame Counter. Designed to capture attention, this stylish counter effortlessly enhances your brand's presence. With its sleek and portable design, you can transport and assemble it with ease. Whether paired with backwalls or shining independently, this unique system is a must-have for making a memorable impression. Our Light Frame Counter also features an inner shelf, offering a practical storage solution.

reatures an inner shen, offering a practical storage solution

Don't miss the opportunity to stand out!

- INTEGRATED WORLD CLASS LED LIGHTS
- PLUG AND PLAY TECHNOLOGY
- VERY STABLE LIGHTWEIGHT DESIGN
- PORTABLE AND TOOL-LESS
- STYLISH DESIGN WITH QUALITY FINISH
- CERTIFIED ACCORDING TO CE AND ETL



Click here to watch Light Frame Counter video.

FACTS LIGHT FRAME COUNTER

Width (mm)	1030
Height (mm)	1060
Depth (mm)	410









Smart inner shelf for organization.




functionality and hassle-free operation.



Classic Frame

The choice is yours **Build anything!**

Let us introduce Classic Frame. It requires no tools or specialized labor to setup. The unique magnetic connectors guide you to a smooth, stable and safe installation. The system's design consists of smooth, rounded edges along with profiles with high surface finish for a stylish environment.



Classic Frame

MONITOR STAND Can be combined with Monitor Stand. Read more on page 44.

- PORTABLE AND TOOL-LESS
- FULLY INTEGRATABLE WITH LIGHT FRAME
- MAGNETIC CLUTCH. ASSEMBLY MADE SIMPLE
- AVAILABLE WITH STORAGE ROOM
- DOUBLE-SIDED



Click here to watch Classic Frame video.



BASIC PACKAGE

500 X 2 500 mm	8.3 kg
950 X 2 500 mm	10.5 kg
1 950 X 2 500 mm	14.5 kg
2 950 X 2 500 mm	16.5 kg *
3 950 X 2 500 mm	20.4 kg **
4 950 X 2 500 mm	25.0 kg **

The packages includes a complete frame, packed in a delivery box. *Incl. 1 supporting rod. **Incl. 2 supporting rods.





TRAVEL PACKAGE



The packages includes a complete frame, delivered in a soft bag with wheels. *Incl. 1 supporting rod. **Incl. 2 supporting rods.

STANDARD CASE XL PACKAGE



The packages includes a complete frame, delivered in a Standard Case XL. *Incl. 1 supporting rod. **Incl. 2 supporting rods.





Addition, Standard Case XL: White or silver top shelf.

Classic Frame

1,95 X 2,00 M


Scalable dimensions & accessories

Classic Frame adapts to your space with scalable widths and heights, creating impactful displays. Below are some examples of different sizes. Enhance functionality with accessories such as Spotlights, Shelf kit, and Screen holder.

0.95 X 2.25 M



0,95 X 2,50 M



1,95 X 3,00 M



LIGHTS

Highlight your message with bright, focused lighting for an eye-catching display.



SINGLE-SIDED SUPPORTING FEET

Ideal for stable support in tight spaces or against walls.



DOUBLE-SIDED SUPPORTING FEET

Provides balanced support for free-standing displays viewed from both sides.



DOUBLE & SINGLE-SIDED CONNECTION FEET

Connect frames while providing stable support for both single- and double-sided setups.





Classic Frame curved structures & Sky Bridge


Build customized shapes however you like!



Click here to watch Sky Bridge video.









CONNECTORS

Different connectors to create







Classic Frame Storage Room

Storage space

- LOCKABLE, MODULAR AND TOOL-LESS
- AVAILABLE WITH LEFT OR RIGHT HUNG DOOR
- FULLY INTEGRATES WITH CLASSIC FRAME & LIGHT FRAME
- STANDARD OR XL-SIZE
- 2,5 OR 3,0M HEIGHT



Click here to watch Storage Room video.











3,0m Standard 3,0m XL



Optional: Add a Light Header to your Storage Room for extra visibility.

STORAGE ROOM 2500 STANDARD

Width (mm)	950
Height (mm)	2 500
Depth (mm)	1 000
Weight	47 0 kg

STORAGE ROOM 2500 XL

Width (mm)	1 950
Height (mm)	
Depth (mm)	
Weight	63 O ka

STORAGE ROOM 3000 STANDARD

Width (mm)	950
Height (mm)	3 000
Depth (mm)	1 000
Weight	55 O ka

STORAGE ROOM 3000 XL

Width (mm)	1 950
Height (mm)	3 000
Depth (mm)	1 000
Weight	69.0 kg

Classic Frame Counter

Stable and solid

Classic Frame Counter is a trade show counter designed for exhibitions, events, and trade shows. Built on the same reliable construction as the Classic Frame. The counter requires no tools or special skills for assembly. Unique magnetic connections ensure a smooth, stable, and secure setup.

- EASY TO SET-UP
- PERFECT FOR MEETINGS OR DEMO TABLE
- STABLE SHELF FOR MARKETING MATERIAL
- AVALIABLE IN 1 OR 2M WIDTH



Click here to watch Classic Frame Counter video.





Classic Frame Counter 1m is delivered in a soft bag with wheels.

CLASSIC FRAME COUNTER


Width (mm)	950 / 1950
Height (mm)	990 / 990
Depth (mm)	410 / 410
Weight	33.5 kg / 44,0 kg





Create an impressive seamless backwall

With Fabric System you can make a great impact with a backwall in your own size, shape and height. Choose between straight, inner and outer curves. Do you want to change the image or size? No problem, re-use the hardware for years and simply put on a new graphic. The structure is easily built and the fabric is attached at working height before it is lifted.



MONITOR STAND Can be combined with Monitor Stand. Read more on page 44.

- UP TO 18 SOM WALL IN ONE BOX
- CREATE YOUR OWN SHAPES AND HEIGHTS
- PATENTED SOLUTION FOR EASY SET UP



Click here to watch Fabric System video.



The soft bag is designed for 2 poles, profiles and a graphic of up to 14 sqm. The steel bases are carried separately in a dedicated bag.

4 400 X 2 500 mm (Straight) 3 300 X 2 400 mm (Curved) nelson peak peak

FACTS FABRIC SYSTEM

Height	flexible 1 150 - 2 900 mm
Length straight section	1 000 mm
Length straight section	1100 mm
Length curved 15° inside	1100 mm
Length curved 15° outside	1100 mm
Lenath curved 90° inside	1 300 mm

MAXIMUM BUILDING WIDTH

2 Poles straight	3,3 г
2 Poles curved 15°	
3 Poles curved 15°	6,6 г
3 Poles straight	6.6 r

WEIGHT EXCL GRAPHIC AND PROFILES

2 Poles Soft Bag	18,0 kg
2 Poles Standard Case XL	31 kg
3 Poles Standard Case XL	37 kg

ALL COMPLETE IN ONE BOX!

Standard Case XL holds up to 3 poles and 12 profiles. The case can easily be converted into a podium.

Do it yourself!
















Patented technology











The edge of the graphic is folded around the profile and secured with a spring clip.



Professional impact in a few minutes

This is probably the easiest big image wall on the market. So user-friendly you can assemble it on your own in a few minutes. The magnetic bars guides everything into position, the panels fall into place and fit seamlessly, securing the perfect setting for your brand.

POP UP MAGNETIC | EXPOLINC.COM



MONITOR STAND Can be combined with Monitor Stand. Read more on page 44.

- PROBABLY THE WORLD'S EASIEST POP UP TO SET UP
- FLEXIBLE HEIGHTS, WIDTHS AND CURVES
- UNLIMITED POSSIBILITIES TO CUSTOMIZE YOUR LOOK

1 510 X 2 975 mm



2 290 X 2 500 mm



3 065 X 2 224 mm



FACTS POP UP MAGNETIC CURVED

No. of squares	2X3	3X3	4X3
Design	Curved	Curved	Curved
Width (mm)	1 915	2 535	3 065
Height (mm)	2 224	2 224	2 224
Depth (mm)	510	710	970
Weight, package (kg) - Basic	8,5	10,4	12,3
Weight, package (kg) - Travel	18,0	21,0	22,5
Weight, package (kg) - Standard	23,0	25,5	27,5
Weight, package (kg) - Case & Counter	29,5	32,0	34,5

FACTS POP UP MAGNETIC STRAIGHT

No. of squares	2X3	3X3	4X3
Design	Straight	Straight	Straight
Width (mm)	2 016	2 749	3 482
Height (mm)	2 224	2 224	2 224
Depth (mm)	315	315	315
Weight, package (kg) – Basic	8,8	10,8	13,0
Weight, package (kg) – Travel	18,5	20,5	23,5
Weight, package (kg) – Standard	23,3	27,6	29,5
Weight, package (kg) – Case & Counter	30.0	32.5	35.0

FACTS POP UP MAGNETIC TOWER


No. of panels	1X3
Height (mm)	2 224
Diameter (mm)	643
Weight, package (kg)	6,6

*Standard packages with curved side panels

Professional impact in a few minutes



Hangers that guide the panels into the right position.





The magnetic bars are guided into the right position and the panels fall into place.



It is very easy to lock and unlock the system.

- Custom set

Combine structures and build your environment without limitations. Pick and choose from straight and curved structures of different heights to create your custom set. All parts are assembled without tools and each structure stands by itself, which makes it the best in class for ease of setup. Ready-made packages are also available with different packing solutions.





FLAT SIDES

Flat sides are an easy to use option. Simply snap on with magnetic bars to get a stylish finish on your display.



DIFFERENT HEIGHTS

Use different magnetic bars and structures to reach 2.5m and 3m height.

Packages and accessories



BASIC PACKAGE

For those of you who don't want to move the system much, mostly keeping it stationary.

Content: Frame, magnetic bars, hangers and kickers, 30 m magnetic tape and delivery box.



TRAVEL PACKAGE

For those of you who travel a great deal and want a system that's easy and convenient to take along.

Content: Frame, magnetic bars, hangers and kickers, 30 m magnetic tape, LED spotlights in protective packaging, panel wrap and transport bag with wheels.



STANDARD PACKAGE

A complete solution for all occasions when you need that little extra.

Content: Frame, magnetic bars, hangers and kickers, 30 m magnetic tape, transport case with wheels, protection wrap for panels, locking kit for case panel, top shelf with bag and LED spotlights including saddle bag.



CASE & COUNTER PACKAGE

A complete solution that includes a spacious transport case with wheels that converts into a stylish counter with internal shelves.

Content: Frame, magnetic bars incl. bag, hangers and kickers, 30 m magnetic tape, Case & Counter standard package (excl. top shelf) and LED spotlights incl. bag.



SPOTLIGHTS

Best in class LED lights. 15W.



CONNECTION KIT FOR PANEL

Click to connect any two Pop Up Magnetic structures. Straight and 90° connections are available.



STABILIZING FEET

Increases the stability depending on configuration.



CURTAIN PROFILE

Attach a curtain profile easily with velcro to create a separate storage room.



CONNECTION KIT FOR 90° WITH PROFILE

Connect any two Pop Up Magnetic to create a sharp 90° angle with a discreet profile.



MONITOR STAND

Very stable Monitor stand to be used freestanding or integrated with a backwall system.



SCREEN HOLDER

Show your product videos on screens weighing up to 8 kg.



Add a shelf to display your products. No tools needed.



SHOWCASE KIT

Display your products in a showcase, placed in the best viewing height. Connecting showcases can easily be added.

Soft ImagePacked and ready to go!

- SET UP A LARGE IMAGE WALL IN JUST A FEW SECONDS
- ROBUST DESIGN SUITABLE FOR A WIDE RANGE OF FABRICS
- TENSION MINIMIZES WRINKLES





Image attached to system during transport.



Click here to watch Soft Image video.

FACTS SOFT IMAGE

Square size	2X3	3X3	4X3	5X3
Width (mm)	1 510	2 240	2 970	3 700
Height (mm)	2 240	2 240	2 240	2 240
Depth (mm)	320	320	320	320
Weight, system (kg)	7.6	9.6	12.8	14.8

All Soft Images come with side attachments for occasions when you wish to extend the image beyond the sides.



Best in class LED spotlights incl bag.



Nylon bags in different sizes available as option.



Easy to lock and unlock the system.

Panel Base

Rigid boards have never had

a better looking base

A floor standing double sided display system that keeps all rigid board materials up to 19 mm in a firm grip. The panel stands straight and stable after fast, easy installation, secured by the foot's grip, so strong that the whole system can be lifted holding the panel.

- CREATE ANY SHAPE IN RIGID BOARD MATERIALS UP TO 19 MM THICKNESS (PANEL BASE 1220 = 26 MM)
- EASY INSTALLATION, NO DRILLING REQUIRED
- RUBBER FEET PROTECT THE FLOOR AND CREATE A LIGHT FLOATING EXPRESSION





Panel Base is delivered in a cardboard box.



Synthetic rubber feet give a nice feeling. Locking key attached at the bottom.



Panel Base holds the board in a firm grip. No drilling required.



Version	2x80	400	610	1 220
Width (mm)	80	400	610	1 220
Height (mm)	60	60	60	60
Weight (kg)	0.7 ka	17 ka	2 5 ka	7.2 km

Magnet Frame The stylish system for rollable panels

Magnet Frame is a double-sided frame for rollable, easily transported panels. The graphic is mounted securely in just seconds through magnetic force, and a discreet aluminium strip frames it. It can also be used with Panel Base.



Click here to watch Magnet Frame video.



FACTS MAGNET FRAME

Version	400x1600	610x1800
Total width (mm)	405	615
Total height (mm)	1 600	1800
Weight (kg)	2,9	3,8
Colour	Silver	Silver



- PROFESSIONAL AND EXCLUSIVE EXPOSURE
- THE GRAPHIC IS MOUNTED IN SECONDS THROUGH MAGNETIC FORCE
- EASY TO CHANGE GRAPHICS ON LOCATION



The panels are easily attached with magnetic force.



The base gives the graphic a stylish, frameless base.



Double sided system for double exposure.



Fabric Stand


A double sided and freestanding frame for fabric graphics

Choose between the stylish Flat Base or the more economical double sided foot. The standard size of 1x2m makes the system suitable for e.g. trade show environments, showrooms and stores. The system is made of durable materials and it's easy to exchange graphics, it can be reused for many years.





Feet or Flat Base? Choose whatever fits your needs.



1000 X 2 000 mm



- PERFECT IN STAND-ALONE ENVIRONMENTS
- STYLISH DESIGN WITH QUALITY FINISH
- TWO DIFFERENT OPTIONS FOR FEET
- DOUBLE-SIDED





FACTS FABRIC STAND

/idth (mm)	1000
eight (mm)	2000
/eight, With Flat Base (kg)	6,i
/eight, With steelfet (kg)	5,0



Roll Up Classic The award winning classic!

Roll Up Classic has been awarded "work of applied art" by the Swedish Society of Craft and Design. The system is easy to transport and assembles in a flash for your presentation. Roll Up Classic is available in a wide range of widths and is ideal for repeated use in different environments.



Click here to watch Roll Up Classic video.



FACTS ROLL UP CLASSIC

Width (mm)	700	850	1 000	1 150	1 450
Height (mm)	1 950	2 150	2 150	2 150	2 150
. , . ,		4,5			
Colour		Silver			

Optional: Supporting rod for height 2 450 mm.



CLEAN & NEUTRAL START TO GRAPHIC

AVAILABLE IN 5 WIDTHS - SIZE FOR ANY EVENT










Best in class LED light available including nylon bag. 15W, 1200 lumens.



Roll Up Classic is transported in a nylon bag with shoulder strap.



Roll Up Compact Compact with adjustable image height

Roll Up Compact is a compact and simple to use Roll Up. The rounded corners and sides makes it nice to handle. The adjustable telescopic supporting rod gives the possibility to adjust the image to desired height. It is easy to mount the image without having to gain access inside the system.





FACTS ROLL UP PROFESSIONAL

Width (mm)	850	1000
Height (mm)	1 605 - 2 230	1 605 - 2 230
Depth (mm)	322	322
Weight (kg)	3,4	3,7
Colour	Silver	Silver

- EASY TO CARRY AND TRANSPORT
- FLEXIBLE GRAPHIC HEIGHT AND EASY SET UP
- PROFESSIONAL EXPOSURE, ALWAYS STANDS STRAIGHT











850 X 2 230 mm

850 X 2 150 mm

1000 X 1650 - 2 230 mm



Best in class LED light available including nylon bag. 15W, 1200 lumens.



Discrete top profile with patented locking function. End caps are standard with Roll Up Compact.



function and stability. It locks in position.

Roll Up Compact is transported in a nylon bag with shoulder strap.

4 Screen Classic Main focus on the message

4 Screen Classic is a cost effective way of getting your message across on a large scale. Perfect for events and major campaigns where everything from price to assembly time is crucial. Available in seven widths. The design is discreetly simple and you can put it up in less than a minute. Weighted rod makes the 4 Screen Classic stand perfectly steady.

- FOCUS ON THE GRAPHIC WITH ALMOST INVISIBLE PROFILES
- MANY DIFFERENT SIZES FOR ANY EVENT, FROM SMALL TO LARGE
- EASY TO CHANGE GRAPHIC ON LOCATION



Click here to watch 4 Screen Classic video.



4 Screen Classic is transported in a nylon bag with reinforced tube.

FACTS 4 SCREEN CLASSIC

Width (mm)	550	700	850	1 000	1 150	1 450	2 000
Height (mm)	1 485	1 950	2 150	2 150	2 150	2 150	2 150
Weight (kg)	1,9	2,2	2,5	2,7	4,1	4,7	5,3





550 X 1 485 mm



Weighted rod gives stability to the system.





Discrete top profile with patented locking function. End caps are optional.

Info Counter For large and small meetings

The Info counter becomes a natural meeting place in an event environment or the perfect place to sign a contract for a sale. Easy to assemble, with an ultra-stable design that provides maximum space for your message.



Info counter in one package.
The shelves protected in separate pockets.

FACTS INFO COUNTER

Width (mm)	790
Height (mm)	
Depth (mm)	370
Weight nackage (kg)	9.5

- QUICK AND EASY SET UP WITH PANELS ALREADY MOUNTED
- ULTRA STABLE DESIGN FOR PRODUCT EXPOSURES AND DEMONSTRATIONS
- MAXIMUM SPACE FOR THE MESSAGE WHICH CAN BE EASILY EXCHANGED





The Stand Up package includes frame, top shelf, internal shelf and padded nylon carrying bag with shoulder strap.



Plenty of space for storing your information material.

Standard Case This durable case doubles as counter

A robust case with steel wheel housing and durable locks. It can be used for most of our products. To convert the case into a counter, just wrap a graphic around the box and place the included top shelf.


- CONVERTS INTO A COUNTER IN JUST A FEW SECONDS
- CAN BE USED WITH MOST OF ALL PRODUCTS
- ROBUST AND DURABLE WITH STEEL WHEEL HOUSING AND BALL BEARINGS



Click here to watch Standard Case video.









The top shelf is easily positioned on the Standard Case. During transport it is well protected in a padded bag.



The top shelf is also available in white.



Robust wheel housings with ball bearings.

STANDARD CASE XL*

Size (mm)	D380xW470xH1190
Size top shelf (mm)	D410xW560
Weight excl. top shelf (kg)	97

^{*}Top shelf sold separately.

STANDARD CASE*

Size (mm)	D380xW470xH950
Size top shelf (mm)	D410xW560
Weight incl. top shelf (kg)	10,8

^{*}Top shelf in silver is included.

Fold Out Counter

The World's First foldable counter

with pre-mounted SEG graphics!

Experience the future of portable counters with the Fold Out Counter. Convenience meets impressive design. Quick and easy setup, pre-mounted SEG graphics, lightweight and smooth construction, exceptional stability, and a smart inner shelf, all in a foldable design. Upgrade now and revolutionize!

- EFFORTLESS SETUP
- PRE-MOUNTED SEG GRAPHICS
- LIGHTWEIGHT DESIGN
- EXCEPTIONAL STABILITY
- INNER SHELF



Click here to watch Fold Out Counter video.

FOLD OUT COUNTER FACTS

Width (mm)	1045
Height (mm)	1000
Depth (mm)	415
Weight (kg)	16,5





Foldable design for easy setup and transport.





stays on during transport.



a soft bag with wheels.

Soft Image Counter The lightweight counter

Soft Image Counter is based on the same construction as Soft Image, with the fabric attached with velcro. Its robust construction will stretch the fabric to a perfect, wrinkle free presentation of your message. It is a stable meeting place with internal shelf for marketing materials. The set up is quick and easy and the low weight makes it easy to carry.



Click here to watch Soft Image Counter video.







- INTERNAL SHELF FOR YOUR MARKETING MATERIAL
- VERY FAST AND EASY SET UP
- SMOOTH AND WRINKLE FREE





stays in the frame during transport.



The package contains a Soft Image frame for the counter, shelf unit, counter top and padded nylon bag.

Case & Counter

Top shelves available in silver or stone.







The top shelf is easily secured.



Professional finish on all details.



- A COMPLETE EXHIBITION STAND TRANSPORTED IN ONE BOX
- MADE OF DURABLE MATERIALS AND FITS MOST CARS





Case & Counter

From case to counter in a minute

Click here to watch Case & Counter video.

A spacious transport case that takes just one minute to convert into a stylish and stable counter with internal shelves. Materials are carefully selected for durability and user friendliness. Two cases can easily be connected with a single top shelf. This is the king of portable counters!







SINGLE CASE

Size folded (mm)	D415xW640xH1000
Size extended (mm)	D590xW1390xH1010
Weight incl. top shelf (kg)	22,0
Volumo (L)	106

TWO CASES

Total size 2 boxes (mm)	D830xW640xH1000
Weight 2 boxes incl 1 top shelf (kg)	40,9
Size top shelf folded (mm)	D470xW740xH28
Size top shelf unfolded (mm)	D940xW740xH12
Volume (L)	2x196 (=392)

Monitor Stand Shine at the trade show. Bring life to your booth!

This monitor stand is carefully designed to elevate your booth and is a powerful addition to your display system. With the ability to support TVs up to 15 kg (approximately 55 inches) in size, it combines stability and style to let your products or services shine. Take your booth to new heights with Monitor Stand!



Click here to watch Monitor Stand video.



Adjustable suspension device to fit most monitors.

FACTS MONITOR STAND

Monitor Stand	Info
Height (mm)	1810
Weight (kg)	14
Max screen weight	15 kg (about 55'')





Monitor Stand is transported in a nylon bag with carrying handles.

- EASY TO ASSEMBLE
- STYLISH DESIGN WITH QUALITY FINISH
- UP TO 15 KG MONITOR. (ABOUT 55")
- CAN BE PLACED BEHIND:
- -CLASSIC FRAME
- -FABRIC SYSTEM
- -POP UP MAGNETIC
- -FABRIC STAND







Brochure Stand The perfect way to expose and transport

The Brochure Stand provides the ideal complement to your event environment and a practical way to transport your printed material. The brochure stand unfolds by gripping the top and lifting it to an upright position. A locking button makes the system secured when unfolded. Available with a soft or hard case.

ATTRACTIVE DOUBLE OR SINGLE SIDED BROCHURE EXPOSURE

• READY TO USE INSTANTLY, BROCHURES READY IN COMPARTMENTS

DURABLE COMPARTMENTS THAT DON'T BREAK OR GET SCRATCHED.



Brochure Stand folded.





The brochures remain in the stand during transport.

FACTS BROCHURE STAND

Size extended (mm)	W250xD268xH1575
Size folded (mm)	W250xD268xH395
Weight padded case (kg)	4,9
Weight hard case (kg)	
No. of holders	
Colour	

Info Stand

A stationary display for directions, information or instructions

- A STYLISH AND STABLE DISPLAY FOR INFORMATION IN PUBLIC ENVIRONMENTS
- ANGLED VERSION FOR PERFECT READING POSITION
- STRAIGHT VERSION FOR DOUBLE-SIDED DIRECTIONAL SIGNAGE



Info Stand angled	Info
Size display portrait (mm)	A4 (210x297)
Size display landscape (mm)	A4 (297x210)
Height (mm)	1020
Weight (kg)	5,2







Info Stand angled. The message is secured between the top- and bottom plates.





Info Stand straight. Easy to secure and change the message.

Portable Table



Bring your own table to the event

With Portable Table you will get two tables in one. Just switch between bar height and sitting height depending on the situation. All parts are delivered in a compact carrying bag that also fits in any of the Expolinc hard cases. With Portable Table you will always have a place at hand for presentations or to have a coffee with your customers.

- COMPACT PACKAGE, WEIGHS ONLY 10 KG
- TWO HEIGHTS IN THE SAME PACKAGE



FACTS PORTABLE TABLE

Height, bar table	1 075 mm
Height, coffee table	665 mm
Weight complete	10 kg
Bag	440x600 mm
Top	410x560 mm







We create marketing tools for professionals

HIGH PERFORMANCE DISPLAY SYSTEMS